HydraTough Submersible Level Transmitter Accessories

Order No.	HY-VENTBOX	Vented Terminal Box
		Description The cable vent box is an important accessory in most installations. The sensor cable has a vent tube so there is a potential air flow from the cable termination into the sensor body. With temperature variation this is accentuated. it is important to make sure the termination is dry always, and our vent box is designed to achieve that and provide a good level of lightning protection for the sensor [which already has transient protection].

Order no.	HY-CBL-CLAMP	HydraTough Cable Support Clamp
		**Description** Cable Clamp (P 2) to fix and support the whole product.

Order no.	HY-H46-WEIGHT	Hydra Tough Counterweight (P5) for H46 Anti-Corrosive PP Submersible Level Sensor
		**Description** To prevent measurement errors caused by sideways movement of the product and ensure accuracy, you can add additional counterweights by screwing them together and connecting them directly to the product. You can attach up to three weights per product.

Order no.	HY-H28-WEIGHT	Hydra Tough Counterweight (P1) for H28 SS Submersible Level Sensor.
		**Description** To prevent measurement errors caused by sideways movement of product and ensure accuracy, you can add additional counterweights by screwing together and then connecting directly to the product.

Order no.	HY-H28-ADAPTOR	Thread Adaptor (P4) for H28 SS Submersible Level Sensor
		**Description** Thread adaptor or weight will screw into the M22x1 thread in the end of the SS H28 style body in place of the protector.